



UNITED STATES PATENT AND TRADEMARK OFFICE

Commissioner for Patents
United States Patent and Trademark Office
P.O. Box 1450
Alexandria, VA 22313-1450
www.uspto.gov

December 21, 2005

Patent No. : 6,960,450
Inventor(s) : Shigeki NAMIMATSU
Issued : November 1, 2005
Title : ANTIGEN ACTIVATING METHOD AND ANTIGEN ACTIVATOR
Doc./File No. :
Re: Request for Certificate of Correction

Consideration has been given your request for the issuance of a certificate of correction for the above-identified patent under the provisions of Rule 1.322 and 1.323.

An error on a patent can be corrected by a certificate of correction, if appropriate. Accordingly, a petition under C.F.R. 1.182 is required to correct the alleged error concerning the inventor's address. Since this information is printed solely in accordance with the typewritten information provided on the Declaration, Oath or ADS, and since the error was the result of applicant's failure to comply with the requirement that the complete and correct information be provided accordingly, no correction is in order here under the provisions of Rules 1.322 or 1.323, unless a petition is granted.

However, a petition under 37 CFR 1.182 should be directed to the attention of the Assistant Commissioner for Patents using the following mailing address or FAX number.

By Mail: Commissioner of Patents and Trademarks
Box PETITIONS
Washington, D.C. 20231

By FAX: (703) 308-6916
Attn: Office of Petitions

If the petition under 37 CFR 1.182 is filed and granted the patentee would be entitled to a certificate of correction under 37 CFR 1.323 (required fee currently \$100).

Any telephone inquiry concerning this communication should be directed to Ms. A. Green at (703) 308-9380 ext. 123.

Cecelia B. Newman
Cecelia B. Newman
Decisions & Certificates
of Correction Branch

(703) 308-9390 or (703) 308-*9380 ext. 123*

Shlesinger, Arkwright & Garvey LLP
1420 King Street, Ste 600
Alexandria, VA 22314

CBN/arg